

# **POPULAR PARTS GUIDE**



YOUR #1 SOURCE FOR
HEAVY DUTY
TRUCK & TRAILER PRODUCTS





# Supporting you in the marketplace and at the point of sale

BettsHD is your partner in profitability. We support the efforts of our distributors through print campaigns, POS signage, media relations and a robust website at BettsHD.com.



# Ordering & Support

Contact BettsHD Customer Support for your product questions, to place an order, and to learn how to become a distributor of quality BettsHD parts.

Customer Support 559.226.9049 8:00 AM – 8:00 PM Eastern Time Customer.Support@BettsHD.com

# Reliability Quality Value



# Why BettsHD?


- ▶ 6 Product Categories metal fenders, quarter fenders, poly fenders, mud flap hangers, conspicuity & accessories
- Exceptional 98% OTD
- Responsive customer service for all product questions
- Consolidate Save time and money ordering from a single source
- Made in U.S.A. American made quality and reliability
- First-Fit on OEM vehicles
- Patented the first Mud Flap Hanger in 1954

# BAR TYPE MUD FLAP HANGERS | STRAIGHT BAR



### #10039069 - A25RL


- OUR BEST SELLING HANGER
- Heavy duty .640" square spring steel
- Nominal length 29.750"
- Weight: 4.586 lbs
- · Unhanded design fits left or right
- Individual mud flap hanger



- Heavy duty .640" square spring steel
- Nominal length 29.750"
- · Unhanded design fits left or right
- Boxed kit contains two (2) #10039069
   A25RL hangers, two (2) #10038991
   B711 mounting brackets and all mounting hardware



- Extra heavy duty .750" square spring steel
- Nominal length 29.750"
- Unhanded design fits left or right
- Boxed kit contains two (2) #10039440
   A82RL hangers, two (2) #10038995
   B700 mounting brackets and all mounting hardware



- Heavy duty .640" square spring steel
- Nominal length 29.750"
- Both left and right hand
- Boxed kit contains one (1) #10039130

   A23R and one (1) #10039128 A23L
   hanger, two (2) #10038991 B711
   mounting brackets and all mounting
   hardware



- Extra heavy duty .750" square spring steel
- Nominal length 29.750"
- Both left and right hand
- Boxed kit contains one (1) #10039480
   A83R and one (1) #10039479 A83L hangers, two (2) #10038995 B700 mounting brackets and all mounting hardware




# **BAR TYPE MUD FLAP HANGERS | ANGLED DOWN**

# 27.50" #10039071 - A35RL • Heavy duty .640" square spring steel

- Nominal length 27.500"
- Unhanded design fits left or right
- · Individual mud flap hanger





- Heavy duty .640" square spring steel
- Nominal length 27.500"
- Unhanded design fits left or right
- Boxed kit contains two (2) #10039071 - A35RL hangers, two (2) #10038991 -B711 mounting brackets and all mounting hardware



- Extra heavy duty .750" square spring steel Nominal length 30.500"
- Both left and right hand
- Boxed kit contains one (1) #10039503 - A87R and one (1) #10039504 - A87L hanger, two (2) #10038995 - B700 mounting brackets and all mounting hardware



- Extra heavy duty .750" square spring steel
- Nominal length 27.750"
- Both left and right hand
- Boxed kit contains one (1) #10039476 - A84R and one (1) #10039475 - A84L hangers, two (2) #10038995 - B700 mounting brackets and all mounting hardware



- Heavy duty .640" square spring steel
- Nominal length 27.625"
- Both left and right hand
- Boxed kit contains one (1) #10039127 - A33R and one (1) #10039126 - A33L hanger, two (2) #10038991 - B711 mounting brackets and all mounting hardware



- Extra heavy duty .750" square spring steel
- Nominal length 27.500"
- Unhanded design fits left or right
- Boxed kit contains two (2) #10039441 - A81RL hangers, two (2) #10038995 -B700 mounting brackets and all mounting hardware



- Extra heavy duty .750" square spring steel
- Nominal length 30.500"
- Both left and right hand
- Boxed kit contains one (1) #10039510 - A88R and one (1) #10039509 - A88L hangers, one (1) #10039005 - B750L and one (1) #10039006 - B750R mounting bracket and all mounting hardware



# **OFFSET** | BAR TYPE MUD FLAP HANGERS



### #10039405 - B29

- Offset 5.500"
- Heavy duty .640" square spring steel
- Nominal length 29.750"
- Both left and right hand
- Boxed kit contains one (1) #10039077

   A29R and one (1) #10039075 A29L
   hanger, two (2) #10038991 B711
   mounting brackets and all mounting
   hardware



### #10039404 - B39

- Offset 5.500"
- Heavy duty .640" square spring steel
- Nominal length 27.625"
- Both left and right hand
- Boxed kit contains one (1) #10039084
   A39R and one (1) #10039083 A39L hanger, two (2) #10038991 B711 mounting brackets and all mounting hardware



### #10039543 - B86

- Offset 7.000"
- Extra heavy duty .750" square spring steel
- Nominal length 25.750"
- Both left and right hand
- Boxed kit contains one (1) #10039489
   A86R and one (1) #10039487 A86L hangers, two (2) #10038995 B700 mounting brackets and all mounting hardware



### #10039408 - B69

- Offset 9.000"
- Heavy duty .640" square spring steel
- Nominal length 29.750"
- Both left and right hand
- Boxed kit contains one (1) #10039096
   A69R and one (1) #10039095 A69L hanger, two (2) #10038991 B711 mounting brackets and all mounting hardware




### #10039407 - B79

- Offset 9.000"
- Heavy duty .640" square spring steel
- Nominal length 27.625"
- Both left and right hand
- Boxed kit contains one (1) #10039094
   A79R and one (1) #10039093 A79L hanger, two (2) #10038991 B711 mounting brackets and all mounting hardware



# #10039534 - B90

- Offset: 12.000"
- Extra heavy duty .750" square spring steel
- Nominal length 27.640"
- Both left and right hand
- Boxed kit contains one (1) #10039451
   A90R and one (1) #10039450 A90L hangers, two (2) #10038995 B700 mounting brackets and all mounting hardware



### #10039538 - B91

- Offset vertical 14.625"
- Heavy duty .750" square spring steel
- Nominal length 29.750"
- Both left and right hand
- Boxed kit contains one (1) #10039474 A91R and one (1) #10039472 A91L hanger, two (2) #10038995 B700 mounting brackets and all mounting hardware, and one skin card with two (2) #10038827 RT25 conspicuity strips



# A35RL BULK DISPLAYS GERS . MUD FLAP HAN Made in the USA **Proudly Certified for Exceptional Quality** ISOTS 16949 800.227.2192 BettsHD.com • Betts

# #10039258 A35RLB40 BULK DISPLAY



# #10039259

A35RLB80 BULK DISPLAY

# **MUD FLAP HANGER BRACKETS**



# #10038990 - B516P **Mud Flap Mounting Kit POP Display**

Counter display pail contains 50 individually packaged kits of bolts Each kit installs one mud flap.



#10039043 - B711P **Bar Type Hanger Mounting Bracket POP Display** 

Black counter display pail contains 20 individual B711 mounting brackets



#10039027 B850



B1732



#10038991 **B711** 



#10038995 B700



#10039007 **B600L** 



#10039010 **B600R** 



#10039017 B650



#10039005 B750L



#10039006 **B750R** 

	Nominal Inside	Mounting Hole	Mounting	
Item # - Smart Part #	Dimension	Centers	Orientation	Contents
#10039027 - B850	0.750"	3.313"	Vertical	Individual
<b>#10039037</b> - K850	0.750"	3.313"	Vertical	Boxed Pair with hardware
<b>#10038994</b> - B1732	0.640"	2.875"	Horizontal	Individual
<b>#10039298</b> - K1732	0.640"	2.875"	Horizontal	Boxed Pair with hardware
#10038991 - B711	0.640"	1.875"	Horizontal	Individual
#10039297 - K711	0.640"	1.875"	Horizontal	Boxed Pair with hardware
<b>#10038995</b> - B700	0.750"	2.875"	Horizontal	Individual
#1 <b>0039301</b> - K700	0.750"	2.875"	Horizontal	Boxed Pair with hardware
#1 <b>0039007</b> - B600L	0.640"	2.000"	Vertical	Individual
#10039010 - B600R	0.640"	2.000"	Vertical	Individual
<b>#10039017</b> - B650	0.640"	3.313"	Vertical	Individual
#10039005 - B750L	0.750"	2.000"	Vertical	Individual
#10039006 - B750R	0.750"	2.000"	Vertical	Individual

Made from premium quality cast steel, one-piece construction.



# CONSPICUITY SOLUTIONS

DOT approved 2" x 150' conspicuity tape rolls provide increased reflectivity over standard reflective tape and are available in red and white, or standard white color options. We also offer our white or red white conspiculty tape with 3-year, 5-year or 10-year durability options.

### **3 YEAR DURABILITY**

# **5 YEAR DURABILITY**

### **10 YEAR DURABILITY**






#10039054 - RTR103 Colors: 11" Red, 7" White

#10039044 - RTR203

Colors: 6" Red, 6" White






#10039058 - RTR105 Colors: 11" Red, 7" White

#10039060 - RTR205 Colors: 6" Red, 6" White

#10039061 - RTR305

Color: White





#10039059 - RTR110

Colors: 11" Red, 7" White

#10039047 - RTR210

Colors: 6" Red, 6" White

#10039048 - RTR310

Color: White



### #10038827 - RT25

Skin card display package contains two (2) #10042836 - RT25RL conspicuity strips for use with straight bar or spring loaded hangers. Unhanded design fits both left and right. Lightweight aluminum construction.

• Can be ordered individually, unpackaged (#10042836 - RT25RL)



### #10042836 - RT25RL

Individual, unpackaged conspicuity strip for use with straight bar or spring loaded hangers. Unhanded design fits both left and right. Lightweight aluminum construction.



### #10038826 - RT35

Skin card display packaging contains one (1) #10038822 - RT35R and one (1) #10038821 - RT35L conspicuity strip for use with angled bar or spring loaded hangers. Lightweight aluminum construction.

- · Both left and right side
- Can be ordered individually, unpackaged (#10038822 - RT35R or #10038821 -RT35L)

# #10038821 - RT35L

Individual, unpackaged conspicuity strip for use with angled bar or spring loaded hangers. Fits left side. Lightweight aluminum construction.



### #10038822 - RT35R

Individual, unpackaged conspicuity strip for use with angled bar or spring loaded hangers. Fits right side. Lightweight aluminum construction.



# **SPRING LOADED MUD FLAP HANGERS**




### #10039875 - B572825NTBK

- Mounting stud centers 1.125"
- Nominal length 28.250"
- Powder coated carbon steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10040590 - B573025NTSK

- Mounting stud centers 1.125"
- Nominal length 30.250"
- Bright 430 stainless steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10039914 - B573025WTBK

- Mounting stud centers 1.125"
- Nominal length 30.250"
- Powder coated carbon steel
- Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10039906 - B672625NTBK

- Mounting stud centers 1.125"
- Nominal length 26.250"
- · Powder coated carbon steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10039930 - B672825NTBK

- Mounting stud centers 1.125"
- Nominal length 28.250"
- · Powder coated carbon steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10039917 - B673025NTBK

- Mounting stud centers 1.125"
- Nominal length 30.250"
- Powder coated carbon steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10039918 - B673025WTBK

- Mounting stud centers 1.125"
- Nominal length 30.250"
- Powder coated carbon steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10039873 - B703000NTBK

- Mounting stud centers 2.500"
- Nominal length 30.000"
- Powder coated carbon steel
- Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10040582 - B703000NTSK

- Mounting stud centers 2.500"
- Nominal length 30.000"
- Bright 430 stainless steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



# SINGLE ARM MUD FLAP HANGERS

Individual arms offer the flexibility of single hanger replacement. Single arm options are Unhanded and can be used as left or right.



# #10039732 - M673025NTBU

- Mounting stud centers 1.125"
- Nominal length 30.250"
- Powder coated carbon steel
- Unhanded design fits both left and right
- Boxed kit includes (1) Unhanded hanger, stud nuts and mud flap mounting hardware



### #10039995 - M703000NTSU

- Mounting stud centers 2.500"
- Nominal length 30.000"
- Bright 430 stainless steel
- Unhanded design fits both left and right
- Boxed kit includes (1) Unhanded hanger, stud nuts and mud flap mounting hardware



### #10039650 - M703000NTBU

- Mounting stud centers 2.500"
- Nominal length 30.000"
- Powder coated carbon steel
- Unhanded design fits both left and right
- Boxed kit includes (1) Unhanded hanger, stud nuts and mud flap mounting hardware

# **OPTIONAL STUD SPACING**

Optional stud spacing offers solutions for all popular mounting hole options. Our most popular styles are available with alternate stud spacing.



### #10039923 - B683025WTBK

- Mounting stud centers 2.500"
- Nominal length 30.250"
- Powder coated carbon steel
- · Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware



### #10040585 - B713000NTSK

- Mounting stud centers 1.125"
- Nominal length 30.000"
- Bright 430 stainless steel
- Both left and right hand
- Boxed kit includes (1) LH and (1) RH hanger, stud nuts and mud flap mounting hardware

# **Smart<sup>™</sup> Part**Numbering System

See page 29 to use our unique Smart<sup>™</sup>Part numbering system to determine the appropriate part number for your application.

Visit
BettsHD.com
to view all spring
loaded hanger
options



# Open Wound Coil Spring

Our proprietary, corrosion-resistant spring within every BettsHD spring loaded mud flap hanger delivers unrivaled spring yield performance for quick mud flap recentering and recovery.



Corrosion-resistant self-centering tombstone works with our open wound coil spring to provide maximum horizontal deflection, protecting your frame and hanger in the event of a collision.




# **DIRECTFLEX® MUD FLAP RETENTION SYSTEM**


In 1999, BettsHD introduced DirectFlex® Mud Flap Retention System - the only patented mud flap retention system on the market. With no moving components, the system is nearly maintenance free. **Three black powder coated mounting bracket options** accommodate all popular installation configurations.

**DirectFlex®** Mud Flap Retention System is compatible with standard mud flaps and **ChannelFlap™** mud flaps.

# **DIRECTFLEX® STRAIGHT ARM**







#10038969 - DF25PB901

#10038977 - DF25PB931

#10038979 - DF25PB941

Overall Length	Mounting Centers	Mounting Orientation	Handedness	Packaging	Item # - Kit Smart Part Number
25.00"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Both	Boxed - Kit	#10038971 - DF2525G-941
30.25"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Both	Boxed - Kit	#10038979 - DF25PB-941
30.25"	1.88"	Horizontal	Both	Boxed - Kit	#10038969 - DF25PB-901
30.25"	2.88"	Horizontal	Both	Boxed - Kit	#10038977 - DF25PB-931
29.00"	2.88"	Horizontal	Both	Boxed - Kit	#10038973 - DF2529PB-931
29.00"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Both	Boxed - Kit	#10038975 - DF2529PB-941
25.00"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Unhanded	Boxed - Individual	#10038950 - DM2525G-941
30.25"	1.88"	Horizontal	Unhanded	Boxed - Individual	#10038952 - DM25PB-901
30.25"	2.88"	Horizontal	Unhanded	Boxed - Individual	#10038953 - DM25PB-931
30.25"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Unhanded	Boxed - Individual	#10038955 - DM25PB-941

**G** = Galvanized Version **PB** = Powder Coated Black Version

# The DirectFlex® Solution

Visit **Resources** on BettsHD.com to watch **DirectFlex**® installation and performance videos.



# STRAIGHT CHANNELFLAP



# #10038816 CF25RL30PB

- Straight / full width
- 30" long
- Unhanded design
- Individual mud flap

The **ChannelFlap™** heavyduty poly mud flap encapsulates the **DirectFlex™** hanger. The compression fit between the components results in a minimum **3X** stronger connection when compared to any traditional mud flap and mud flap hanger combination.



# **DIRECTFLEX® MUD FLAP RETENTION SYSTEM**

# **DIRECTFLEX® ANGLED ARM**







#10038965 - DF3526PB901

#10038966 - DF3526PB931

#10038967 - DF3526PB941

Overall Length	Mounting Centers	Mounting Orientation	Handedness	Packaging	ltem # - Kit Part Number
26.00"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Both	Boxed - Kit	#10038967 - DF3526PB-941
26.00"	1.88"	Horizontal	Both	Boxed - Kit	#10038965 - DF3526PB-901
26.00"	2.88"	Horizontal	Both	Boxed - Kit	#10038966 - DF3526PB-931
26.00"	1.88"	Horizontal	Left Hand	Boxed - Individual	#10044454 - DM3526LPB-901
26.00"	2.88"	Horizontal	Left Hand	Boxed - Individual	#10038949 - DM3526LPB-931
26.00"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Left Hand	Boxed - Individual	#10038945 - DM3526LPB-941
26.00"	1.88"	Horizontal	Right Hand	Boxed - Individual	#10038948 - DM3526RPB-901
26.00"	2.88"	Horizontal	Right Hand	Boxed - Individual	#10038946 - DM3526RPB-931
26.00"	1.12" / 1.18" / 2.50" / 3.31"	Vertical	Right Hand	Boxed - Individual	#10038947 - DM3526RPB-941

# DIRECTFLEX® MOUNTING BRACKETS

See **Kit Part Number** in Straight and Angled charts to reference mounting bracket configuration for DirectFlex® kits.





#10038947

DM3526PRB-901

#10038946 DM3526PRB-931

DM3526PRB-941

# ANGLED CHANNELFLAP™



# #10038810 CF3526LH24PB

- Angled / corner cut
- 24" long
- Left hand
- Individual mud flap



#10038811 CF3526RH24PB

- Angled / corner cut
- 24" long
- Right hand
- Individual mud flap



#10038812 CF3526LH30PB

- Angled / corner cut
- 30" long
- Left hand
- Individual mud flap



#10038813 CF3526RH30PB

- Angled / corner cut
- 30" long
- Right hand
- Individual mud flap



# TRAILER MUD FLAP RETENTION SYSTEM (TMF-RS)







**GO FROM THIS...** 

TO THIS...

OR THIS...

Virtually ELIMINATE trailer mud flap loss
Install & repair with common hand tools
NO MORE WELDING - Makes roadside or driver repair possible

### #10038986

### TRSBD10NT

Trailer Mud Flap Retention System with DirectFlex®

Conspicuity: Without Slider Width: 48" Handedness: Pair

Durability: Severe Duty Premium

# #10038987 TRSBD10WT

Trailer Mud Flap Retention System with DirectFlex®

Conspicuity: With Slider Width: 48" Handedness: Pair

**Durability: Severe Duty Premium** 



### #10039852

### TRSBS10NT

Trailer Mud Flap
Retention System
Spring Loaded Hangers

Conspicuity: Without Slider Width: 48" Handedness: Pair

Durability: Heavy Duty Standard

# #10039854

# TRSBS10WT

Trailer Mud Flap Retention System Spring Loaded Hangers

Conspicuity: With Slider Width: 48" Handedness: Pair


Durability: Heavy Duty Standard



True to the claims, TMF-RS, with its specially designed mounting bracket, has our fleet of trailers looking top notch and in compliance.

Gone are the days of bent angle iron or missing mud flaps. BettsHD and TMF-RS will be a mainstay here at Charlie's Produce. 77

Ian L. - Charlie's Produce Fleet Maintenance Manager



Watch TMF-RS in action at BettsHD.com



# **POLY QUARTER FENDERS**



#10040807 - PS211PA2 STANDARD MOUNT PAIR



#10040815 - PS211PA5
STANDARD MOUNT
RIGHT SIDE



#10040797 - PS211PA6 STANDARD MOUNT LEFT SIDE



#10040804 - PS221PA2



#10040816 - PS221PA5 LOW MOUNT RIGHT SIDE



#10040817 - PS221PA6 LOW MOUNT LEFT SIDE

Material Black UV resistant poly panel

Mounting Tube Black, e-coat, 18-gauge carbon steel mounting tube Clamp AccuSeal<sup>™</sup> aluminized carbon steel tube clamp

**Includes** Black poly top flat with zinc plated steel top flap hardware

**Packaging** Assembled box kit, includes tube mounting clamps, top flaps and top flap mounting hardware

# **QUARTER FENDER ACCESSORIES**

### #10040553

### X2900 MOUNTING POST

Eight inches (8") long single bolt post. Individually packaged.

# **ACCUSEAL™ CLAMPS**

- #10040471 400118-00 aluminized version for black powder coated mounting tubes
- #10040472 400118-01 stainless steel version for stainless steel mounting tubes









# #10040535 100109-00 BLACK RUBBER



#10040544 100144-00 BLACK POLY





LOGO TOP FLAPS

Custom logos available; minimum quantity applies.



12 BettsHD.com • 559.226.9049

# **STAINLESS STEEL QUARTER FENDERS**



#10040775 - SS211PA2 STANDARD MOUNT PAIR



#10040823 - SS211PA5 STANDARD MOUNT RIGHT SIDE



#10040824 - SS211PA6 STANDARD MOUNT **LEFT SIDE** 



#10040518 - SS221PA2 **LOW MOUNT PAIR** 



#10040825 - SS221PA5 **LOW MOUNT RIGHT SIDE** 



#10040826 - SS221PA6 **LOW MOUNT LEFT SIDE** 



#10040779 - SS241PA2 **ULTRA LOW MOUNT PAIR** 



#10040715 - SS241PA5 **ULTRA LOW MOUNT RIGHT SIDE** 



#10040716 - SS241PA6 **ULTRA LOW MOUNT LEFT SIDE** 

Material Bright 430 18-gauge stainless steel

**Mounting Tube** 18-gauge stainless steel with black plastic end caps

Clamp AccuSeal<sup>™</sup> stainless steel tube clamp

Includes Black poly top flap with stainless steel top flap hardware

Assembled box kit, includes tube mounting clamps, top flaps and top flap mounting hardware **Packaging** 



# **POLY FENDERS**

# **SINGLE AXLE**

# #10039432 - USP635

Material	Black high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	69"
Width	25"
Fender Opening	48"
Wheel Size	22.5"
Application	Dual wheels



# #10039632 - USP635RED

#10003002 - 0	טו טטטועבט
Material	Red high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	69"
Width	25"
Fender Opening	48"
Wheel Size	22.5"
Application	Dual wheels



# #10039658 - USP670

11 1000000	001 070
Material	Black high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	77.5"
Width	26.5"
Fender Opening	51"
Wheel Size	22.5"
Application	Dual wheels





# **HALF TANDEM AXLE**

# #10039699 - USP650HT-VF

Material	Black high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	54.75"
Width	25"
Height	16"
Wheel Size	22.5" and 24.5"
Application	Dual wheels



# #10039694 - USP25HT

Material	Black high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	67"
Width	25"
Height	25.5"
Wheel Size	22.5" and 24.5"
Application	Dual wheels



# **BRACKET SUPPORT KIT**

# #10040459 - HTE100

- 2 Riser Plates
- 4 1-5/8" Clamps
- 2 Balota Anti-Vibration Washers

**Mounting Hardware** 





# **POLY FENDERS**

# **REFUSE FENDERS**



# #10039688 - USP25WRT

11 1000000	001 2011IKI
Material	Black high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	69"
Width	25"
Fender Opening	48"
Wheel Size	22.5"
Application	Dual wheels



# #10039638 - USP25WCT

Material	Black high density UV resistant poly
Style	3-Rib Up with radiused edge
Overall Length	50"
Width	25"
Fender Opening	38"
Wheel Size	22.5"
Application	Dual wheels



# #10038834 - USP25WPT

Material	Black high density UV resistant poly
Style	Joint cover plate
Overall Length	5 3/4"
Width	25"



# LIFT AXLE FENDER

### #10039022 - USP320

Material	Black high density UV resistant poly
Style	Radiused edge
Overall Length	60.5"
Fender Opening	42"
Width	12.5"
Wheel Size	22.5"
Application	Lift axle fender



# **MOUNTING HARDWARE**

# **FIXING BRACKETS**



### #10040456 - IT42-4

4 - 1-5/8" IT Brackets4 - IT Backing PlatesMounting Hardware



### #10040458 - IT42HD-4

4 - 1-5/8" Heavy Duty IT Brackets

**4 -** IT Backing Plates Mounting Hardware

# **MOUNTING TUBES**



### #10040466 - FK-02

MaterialStainless Steel Mounting TubeStyleOffset, Single Bolt

Overall Length 30"
Tube Width 1-5/8"



# #10040467 - FK-03

Material Black E-Coated Mounting Tube
Style Offset, Single Bolt

Overall Length 30"
Tube Width 1-5/8"



# **METAL FENDERS | 4 RIB STAINLESS STEEL**

# **SINGLE AXLE**

# #10039412 - SR200-80-1

Material	Bright 430 18 gauge stainless steel		
Style	4-Rib with beaded edge		
Overall Length	80"		
Fender Opening	50"		
Wheel Size	22.5" and 24.5"		
Application	Dual wheels		
Packaging	Cardboard wrapped individual fender		
Mounting Kits (Not Included)	<b>#10040356</b> - H3362PS, individual fender <b>#10040368</b> - K2362PS, fender pair		
Additional Options	60" overall length Galvanized carbon steel or aluminum		



#10039412 - SR200-80-1

# **HALF TANDEM AXLE**

# #10039392 - SR300-66-1

Material	Bright 430 18 gauge stainless steel	
Style	4-Rib with beaded edge	
Overall Length	66"	
Front Curve	39"	
Flat Section	27"	
Fender Opening	57"	
Wheel Size	22.5" and 24.5"	
Application	Dual wheels	
Packaging	Cardboard wrapped individual fender with <b>#10038895</b> - SF100H-1 rubber vibration isolator	
Mounting Kits (Not Included)	<b>#10040356</b> - H3362PS, individual fender <b>#10040403</b> - K3362PS, fender pair	
Additional Options	60" and 80" overall lengths Galvanized carbon steel or aluminum	



#10039392 - SR300-66-1



# **FULL TANDEM AXLE**


# #10039644 - SR400-132-1

11 10000011	OK 100 102 1	
Material	Bright 430 18 gauge stainless steel	
Style	4-Rib with beaded edge	
Overall Length	132"	
Front Curve	39"	
Rear Curve	39"	
Flat Section	54"	
Fender Opening	105"	
Wheel Size	22.5" and 24.5"	
Application	Dual wheels	
Packaging	Cardboard wrapped individual fender with <b>#10038895</b> - SF100H-1 rubber vibration isolator	
Mounting Kits (Not Included)	<b>#10040353 -</b> H4362PS, individual fender <b>#10040406</b> - K4362PS, fender pair	
Additional Options	105", 120" and 126" overall lengths Galvanized carbon steel or aluminum	



#10039644 - SR400-132-1

# **MOUNTING KITS**



K236	2PS K3362PS	K4362PS	B900S	T362PS
<b>Mounting Kit</b>	Center Mounts	Tubes / Caps	Hardware	
#10040368 K2362PS	N/A	<ul> <li>Four (4) #10040304 - T362PS single-bolt frame mount, 30" predrilled Stainless Steel tubes</li> <li>Four (4) #10038930 - CP12 poly end caps</li> </ul>	Four (4) <b>#10038893</b> - Ecarriage bolt kits: each bolts, nuts, flat and lock	contains five (5) carriage
#10040403 K3362PS	Two (2) #10040328 - B900S singlebolt frame mounts, .625" through-hole with $3\frac{1}{2}$ " vertical adjustability	• Two (2) #10040304 - T362PS single-bolt	Four (4) <b>#10038893</b> - Ecarriage bolt kits: each bolts, nuts, flat and lock	contains five (5) carriage
#10040406 K4362PS	Two (2) <b>#10040328</b> - B900S singlebolt frame mounts, .625" through-hole with 3½" vertical adjustability	<ul> <li>Four (4) #10040304 - T362PS single-bolt frame mounts, 30" predrilled Stainless Steel tubes</li> <li>Four (4) #10038930 - CP12 poly end caps</li> </ul>	Six (6) #10038893 - B4 carriage bolt kits: each bolts, nuts, flat and lock	contains five (5) carriage
#10040328 B900S	<ul> <li>Single-bolt frame mount, .625" through-hole with 3½" vertical adjustability.</li> <li>Unhanded - Fits right or left</li> </ul>	N/A	One (1) <b>#10038893</b> - B carriage bolt kit: each c bolts, nuts, flat and lock	ontains five (5) carriage
#10040304 T362PS	N/A	<ul> <li>Single-bolt frame mount, 30" predrilled Stainless Steel tube</li> <li>#10038930 - CP12 poly end cap</li> </ul>	One (1) <b>#10038893</b> - B carriage bolt kit: each c bolts, nuts, flat and lock	ontains five (5) carriage



# **METAL FENDERS | 2 RIB STAINLESS STEEL**

# **SINGLE AXLE**

# #10040031 - SR200-80NL-1

Material	Bright 430 18 gauge stainless steel		
Style	2-Rib with beaded edge		
Overall Length	80"		
Fender Opening	50"		
Wheel Size	22.5" and 24.5"		
Application	Dual wheels		
Packaging	Cardboard wrapped individual fender		
Mounting Kits (Not Included)	<b>#10040340</b> - H2362PS, individual fender <b>#10040368</b> - K2362PS, fender pair		
Additional Options	60" overall length Galvanized carbon steel		



#10040031 - SR200-80NL-1

# **HALF TANDEM AXLE**

# #10040030 - SR300-66NL-1

11 100 40000	SHOOD DUNE I		
Material	Bright 430 18 gauge stainless steel		
Style	2-Rib with beaded edge		
Overall Length	66"		
Front Curve	39"		
Flat Section	27"		
<b>Fender Opening</b>	57"		
Wheel Size	22.5" and 24.5"		
Application	Dual wheels		
Packaging	Cardboard wrapped individual fender with <b>#10038895</b> - SF100H-1 rubber vibration isolator		
Mounting Kits (Not Included)	<b>#10040356</b> - H3362PS, individual fender <b>#10040403</b> - K3362PS, fender pair		
Additional Options	60" and 80" overall lengths Galvanized carbon steel		



#10040030 - SR300-66NL-1



# **FULL TANDEM AXLE**


# #10040071 - SR400-132NL-1

Material	Bright 430 18 gauge stainless steel	
Style	2-Rib with beaded edge	
Overall Length	126"	
Front Curve	39"	
Rear Curve	39"	
Flat Section	54"	
Fender Opening	104"	
Wheel Size	22.5" and 24.5"	
Application	Dual wheels	
Packaging	Cardboard wrapped individual fender with <b>#10038895</b> - SF100H-1 rubber vibration isolator	
Mounting Kits (Not Included)	<b>#10040353</b> - H4362PS, individual fender <b>#10040406</b> - K4362PS, fender pair	
Additional Options	105", 120" and 126" overall lengths Galvanized carbon steel	



#10040071 - SR400-132NL-1

# **MOUNTING KITS**



NZJU	213 NJJU213	N43021 3	סטטט	130213
<b>Mounting Kit</b>	Center Mounts	Tubes / Caps	Hardware	
#10040368 K2362PS	N/A	<ul> <li>Four (4) #10040304 - T362PS single-bolt frame mount, 30" predrilled Stainless Steel tubes</li> <li>Four (4) #10038930 - CP12 poly end caps</li> </ul>	Four (4) <b>#10038893</b> - B4HS-1 carriage bolt kits: each contain bolts, nuts, flat and lock washed	s five (5) carriage
#10040403 K3362PS	Two (2) #10040328 - B900S singlebolt frame mounts, .625" through-hole with $3\frac{1}{2}$ " vertical adjustability	<ul> <li>Two (2) #10040304 - T362PS single-bolt frame mounts, 30" predrilled Stainless Steel tubes</li> <li>Two (2) #10038930 - CP12 poly end caps</li> </ul>	Four (4) <b>#10038893</b> - B4HS-1 carriage bolt kits: each contain bolts, nuts, flat and lock washed	s five (5) carriage
#10040406 K4362PS	Two (2) <b>#10040328</b> - B900S singlebolt frame mounts, .625" through-hole with 3½" vertical adjustability	<ul> <li>Four (4) #10040304 - T362PS single-bolt frame mounts, 30" predrilled Stainless Steel tubes</li> <li>Four (4) #10038930 - CP12 poly end caps</li> </ul>	Six (6) <b>#10038893</b> - B4HS-1 s carriage bolt kits: each contain bolts, nuts, flat and lock washed	s five (5) carriage
#10040328 B900S	<ul> <li>Single-bolt frame mount, .625" through-hole with 3½" vertical adjustability.</li> <li>Unhanded - Fits right or left</li> </ul>	N/A	One (1) <b>#10038893</b> - B4HS-1 carriage bolt kit: each contains bolts, nuts, flat and lock washed	five (5) carriage
#10040304 T362PS	N/A	<ul> <li>Single-bolt frame mount, 30" predrilled Stainless Steel tube</li> <li>#10038930 - CP12 poly end cap</li> </ul>	One (1) <b>#10038893</b> - B4HS-1 carriage bolt kit: each contains bolts, nuts, flat and lock washed	five (5) carriage



# **METAL FENDERS | SMOOTH STAINLESS STEEL**

# **SINGLE AXLE**

### #10039009 - TSA8000000

11 1000000	10/100000	
Material	Bright 430 16 gauge stainless steel	
Style	Smooth with radiused edge	
Overall Length	80"	
Fender Opening	50"	
Wheel Size	22.5" and 24.5"	
Application	Dual wheels	
Packaging	Cardboard wrapped individual fender	
Mounting Kits (Not Included)	<b>#10040352</b> - L200TS-1, individual fender <b>#10040392</b> - L200TS, fender pair	



#10039009 - TSA8000000

# **HALF TANDEM AXLE**

### #10039008 - TSB3902700

# 1000000	.000002700	
Material	Bright 430 16 gauge stainless steel	
Style	Smooth with radiused edge	
Overall Length	66"	
Front Curve	39"	
Flat Section	27"	
Fender Opening	51"	
Wheel Size	22.5" and 24.5"	
Application	Dual wheels	
Packaging	Cardboard wrapped individual fender with <b>#10038901</b> - SF200H-1 rubber vibration isolator	
Mounting Kits (Not Included)	<b>#10040413</b> - U300TS-1, indidivual fender <b>#10040413</b> - U300TS, fender pair	
Additional Options	66" overall length with 35" front curve and 31" flat section	



#10039008 - TSB3902700

# **SPECIALTY FENDERS**

Visit BettsHD.com for smooth stainless steel specialty fenders.







# **FULL TANDEM AXLE**

### #10039016 - TSC3905439

#10033010 -	1303303433	
Material	Bright 430 16 gauge stainless steel	
Style	Smooth with radiused edge	
Overall Length	132"	
Front Curve	39"	
Rear Curve	39"	
Flat Section	54"	
Fender Opening	105"	
Wheel Size	22.5" and 24.5"	
Application	Dual wheels	
Packaging	Cardboard wrapped individual fender with <b>#10038901</b> - SF200H-1 rubber vibration isolator	
Mounting Kits (Not Included)	<b>#10040386</b> - U400TS-1, individual fender <b>#10040414</b> - U400TS, fender pair	
Additional Options	120" overall length	



#10039016 - TSC3905439

# **MOUNTING KITS**



#10040392 - L200TS



#10040412 - U300TS



#10040414 - U400TS

Mounting Kit	Mounts / Posts	Tubes / Caps / Clamps	Bolt Kit
#10040392 L200TS	• Four (4) <b>#10040553</b> - X2900 single-bolt posts	<ul> <li>Four (4) #10040280 - B610TS stainless steel paddle brackets</li> <li>Four (4) #10040472 - 400118-01 AccuSeal stainless steel clamps</li> </ul>	• Four (4) #10038894 - TS100H-1 hardware kits: each kit contains three (3) strap plates, six (6) cap screws and six (6) flat washers
#10040412 U300TS	<ul> <li>Two (2) #10040328 - B900S single-bolt frame mounts, .625" through-hole with 3-½" vertical adjustability</li> <li>Two (2) #10040553 - X2900 single-bolt posts</li> </ul>	<ul> <li>Two (2) #10040280 - B610TS stainless steel paddle brackets</li> <li>Two (2) #10040472 - 400118-01 AccuSeal stainless steel clamps</li> </ul>	<ul> <li>Two (2) #10038894 - TS100H-1 hardware kits: each kit contains three (3) strap plates, six (6) cap screws and six (6) flat washers</li> <li>Two (2) #10038893 - B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers</li> </ul>
#10040414 U400TS	<ul> <li>Two (2) #10040328 - B900S single-bolt frame mounts, .625" through-hole with 3-½" vertical adjustability</li> <li>Four (4) #10040553 - X2900 single-bolt posts</li> </ul>	<ul> <li>Four (4) #10040280 - B610TS stainless steel paddle brackets</li> <li>Four (4) #10040472 - 400118-01 AccuSeal stainless steel clamps</li> </ul>	<ul> <li>Four (4) #10038894 - TS100H-1 hardware kits: each kit contains three (3) strap plates, six (6) cap screws and six (6) flat washers</li> <li>Two (2) #10038893 - B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers</li> </ul>



# **METAL FENDERS | STAINLESS STEEL CORRUGATED**



# SINGLE AXLE

### #10039157 - MS200-80-1

Material Bright 430 18 gauge stainless steel Style Corrugated 80" **Overall Length** Fender Opening 50" **Wheel Size** 22.5" and 24.5" Dual wheels **Application Packaging** Cardboard wrapped individual fender Mounting Kits #10040337 - K2362US, individual fender (Not Included) #10040369 - K2362US, fender pair Additional 60" overall length **Options** Galvanized carbon steel



# **HALF TANDEM AXLE**

### #10039151 - MS300-66-1

Material	Bright 430 18 gauge stainless steel
Style	Corrugated
Overall Length	66"
Front Curve	39"
Flat Section	27"
Fender Opening	51"
Wheel Size	22.5" and 24.5"
Application	Dual wheels
Packaging	Cardboard wrapped individual fender
Mounting Kits (Not Included)	<b>#10040357</b> -H3362US, individual fender <b>#10040399</b> - K3362US, fender pair
Additional Options	60" and 80" overall lengths Galvanized carbon steel

# **FULL TANDEM AXLE**

### #10039178 - MS400-132-1

11 10000170	1110-100 102 1
Material	Bright 430 18 gauge stainless steel
Style	Corrugated
Overall Length	132"
Front Curve	39"
Rear Curve	39"
Flat Section	54"
Fender Opening	105"
Wheel Size	22.5" and 24.5"
Application	Dual wheels
Packaging	Cardboard wrapped individual fender
Mounting Kits (Not Included)	#10040381 - H4362US, individual fender #10040415 - K4362US, fender pair
Additional Options	105", 120" and 126" overall lengths Galvanized carbon steel





# **ACCESSORIES**





powder coated for corrosion resistance

rubber insert grip bars

spring loaded hatch

# **LOAD LOCK**

# Secure Your Load!

The Load Lock Holder is a lockable, anti-theft storage system that easily mounts nearly anywhere on your tractor to safeguard your load lock bars when not in use.

Each load lock is individually cradled to ensure no movement neither side to side, nor up and down.

Load Locks safely secure 1-1/2" and/or 1-5/8" bars and also accommodate 2" x 4" and/or 4" x 4" pads.

Item #: 100439553 Legacy Part #: LLH401



tray holds 2" x 4" or 4" x 4" pads

hooks prevent bars from falling

while loading



# Security

Prevent unsecure load citations. The lockable anti-theft safety system easily mounts nearly anywhere on your truck to safeguard your load locks when not in use.



# Safety

Easy to install system, prevent damage to cab fairing and quarter fenders from side-to-side conventional storage.



### Benefits

- · OEM quality, heavy-duty aluminum for long life.
- · Powder coated to resist corrosion.
- · Hinged clamp secures load braces & eliminates the need for rubber straps.



# **ACCESSORIES**

# FIRE EXTINGUISHER CASES



# #10040463

" 100 10 100	
Style	Front Loading
Width	11.5"
Height	27.25"
Depth	10.25"
Extinguisher Size	13 lb to 20 lb



# #10040430

Style	Top Loading
Width	11.25"
Height	20"
Depth	8.75"
Extinguisher Size	13 lb
Mounting Kit	#10040431



# #10040464

Style	Top Loading
Width	11"
Height	29"
Depth	12"
Extinguisher Size	20 lb

# **DOCUMENT HOLDER**



# #10040463

Material	Heavy Duty Poly
Outer Diameter	3.75"
Internal Diamater	3.25"

# WHEEL CHOCK & WHEEL CHOCK HOLDER



# #10040457

Material	Heavy Duty Poly
Length	19.75"
Height	11"
Weight	4 lbs




# #10040454

Material	Heavy Duty Poly
Weight	1.4 lbs






# FENDER MEASUREMENTS GUIDE



### **SINGLE AXLE**

A (Overall Length) = \_\_\_\_\_ in inches

**B** (Opening) = \_\_\_\_ in inches



### **HALF TANDEM**

A (Front Curve) = \_\_\_\_\_ in inches **B** (Flat) = \_\_\_\_ in inches

B	C
- Axle Ce	enters – 👆

### **FULL TANDEM**


A (Front Curve) = \_\_\_\_\_ in inches **B** (Flat) = \_\_\_\_\_ in inches

C (Rear Curve) = \_\_\_\_\_ in inches

# **SMART™ PART NUMBERING SYSTEM**

# SPRING LOADED MUD FLAP HANGERS

Use the chart below to determine the appropriate part number for your application. A value from each column is required, but not all combinations are valid part numbers.






# **SMART™ PART NUMBERING SYSTEM**

# **QUARTER FENDERS**


Use the chart below to determine the appropriate part number for your application. A value from each column is required, but not all combinations are valid part numbers.



# **SMART™ PART NUMBERING SYSTEM**

# **FENDER MOUNTING KITS**

Use the chart below to determine the appropriate part number for your application. A value from each column is required, but not all combinations are valid part numbers.





ADIVISION OF **HIGH BAR BRANDS, LLC** 



Fresno, CA & Canfield, OH

1-559-226-9049 | customer.support@bettshd.com

www.BettsHD.com | www.HighBarBrands.com